\*

PHOENIX PRODUCTS CO. 55 CONTAINER DR TERRYVILLE, CT 06786 (860) 589-7502 PRODUCT NAME: CLEARCLOR LITHIUM

MATERIAL SAFETY DATA SHEET 2/25/02

## **SECTION I - IDENTIFICATION**

CHEMICAL NAME & SYNONYMS: Lithium Hypochlorite, 29%

**CHEMICAL FAMILY:** Alkali Hypochlorite **FORMULA:** LiOCI: 35% available chlorine

TRADE NAME: Clearclor Lithium

**DESCRIPTION:** White granules with chlorine odor

**CAS NO.** 13840-33-0

\*

## **SECTION II - PHYSICAL DATA**

Boiling Point: N/A Melting Point: Decompresses @ 135°C

Vapor Pressure:N/A% Volatile by Volume:N/AVapor Density:N/ASolubility in water:43%Evaporation Rate:N/ABulk Density:0.9 - 1.0 g/cc

SECTION III - FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A Autoignition Temp: N/A

Flammable Limits in Air % By Volume: N/A

**Extinguishing Media:** Use media appropriate for surrounding fire.

**Special Fire Fighting Procedures:** Wear self-contained breathing apparatus and protective clothing. **Unusual Fire and Explosion Hazards:** Oxygen and toxic chlorine gases may be released when heated, or when contacted with strong acids. May catch fire spontaneously on contact with oxidizable material

such as wood, paper, cotton, etc.

## **SECTION IV - HEALTH HAZARD DATA**

**EFFECTS OF OVEREXPOSURE:** 

**Inhalation:** May cause irritation to respiratory tract.

**Skin:** Prolonged or repeated exposure may be corrosive to skin.

Eve: May cause sever irritation.

**Ingestion:** May cause gastrointestinal irritation or ulceration. May burn mouth and throat.

## **SECTION V - EMERGENCY AND FIRST AID PROCEDURE**

INHALATION: Remove to fresh air. Consult a physician.

**SKIN:** Flush with water for at least 15 minutes. Immediately consult a physician. **EYE:** Flush with water for at least 15 minutes. Immediately consult a physician.

**INGESTION:** Drink large amounts of water. DO NOT induce vomiting. Consult a physician.

**SECTION VI - TOXICOLOGY** 

**Oral LD50(rat):** 674 mg/kg

Skin Absorption LD50 (rabbit): Corrosive

**SECTION VII - REACTIVITY DATA** 

Stability: Stable

Conditions to Avoid: Elevated temperatures

Incompatibility (materials to avoid): Acids and oxidizable materials.

Hazardous Decomposition: Toxic chlorine gases.

Hazardous Polymerization: Will not occur.

CHEMICAL NAME: Lithium Hypochlorite, 29%	TRADE NAME: Clearclor Lithium
***************************************	******************
SECTION VIII - SPILL, LEAKAGE & DISPOSAL PROCEDURES Steps to take if material leaks or spills: Collect for disposal in clean metal container. Waste disposal method: Dispose of in accordance with all Federal, State and Local regulations.	
*	DOTECTION DATA
SECTION IX - SPECIAL F Ventilation: Use only adequate ventilation.  Eye Protection: Use safety glasses or goggles.	ROTECTION DATA
Respiratory Protection: Use an approved NIOSH resp Protective Gloves: Use rubber gloves.	pirator when adequate ventilation is not available.
Other Equipment: Wear clean, long-sleeved clothing. located near work area.	Eye wash and safety shower stations should be
*	
SECTION X - SPECIAL PRECAUTIONS DATA  Handling and Storage: Do not get in eyes, on skin or clothing. Avoid breathing dust. Store away from readily oxidizable materials and strong acids. Store in a cool dry place. Keep container closed when not in use. Wash thoroughly after handling.  Other: None.	
*	
SECTION XI - TRANSPORTATION INFORMATION  Proper Shipping Name: Lithium Hypochlorite, Dry, 5.1, UN1471, PGII.	
*	
The information herein is given in good faith but r	no warranty, expressed or implied, is made.

THE PHOENIX PRODUCT COMPANY 55 CONTAINER DR TERRYVILLE, CT 06786